

注意：

允許學生個人、非營利性的圖書館或公立學校合理使用本基金會網站所提供之各項試題及其解答。可直接下載而不須申請。

重版、系統地複製或大量重製這些資料的任何部分，必須獲得財團法人臺北市九章數學教育基金會的授權許可。

申請此項授權請電郵 [ccmp@seed.net.tw](mailto:ccmp@seed.net.tw)

**Notice:**

**Individual students, nonprofit libraries, or schools are permitted to make fair use of the papers and its solutions. Republication, systematic copying, or multiple reproduction of any part of this material is permitted only under license from the Chiuchang Mathematics Foundation.**

**Requests for such permission should be made by e-mailing Mr. Wen-Hsien SUN [ccmp@seed.net.tw](mailto:ccmp@seed.net.tw)**

---

## Senior Division

---

### Questions 1 to 10, 3 marks each

1. How many 3-digit numbers have the hundreds digit equal to 7 and the units digit equal to 8?

(A) 10                      (B) 100                      (C) 20                      (D) 19                      (E) 90


---

2. If  $p = 7$  and  $q = -4$ , then  $p^2 - 3q^2 =$

(A) 49                      (B) 48                      (C) 0                      (D) 97                      (E) 1

---

3. In each of these squares, the marked length is 1 unit. Which of the squares would have the greatest perimeter?



(A) P                      (B) Q                      (C) R                      (D) S                      (E) all are the same

---

4. Given that  $n$  is an integer and  $7n + 6 \geq 200$ , then  $n$  must be

(A) even                      (B) odd                      (C) 28 or more  
(D) either 27 or 28                      (E) 27 or less

---


5. King Arthur's round table has a radius of three metres. The area of the table top in square metres is closest to which of the following?

(A) 20                      (B) 30                      (C) 40                      (D) 50                      (E) 60

---


6. In the diagram, the value of  $x$  is

(A) 120                      (B) 108                      (C) 105  
(D) 135                      (E) 112.5



7. How far is it from  $A$  to  $B$  measured in a straight line?

(A) 20                      (B) 28                      (C)  $10 + 9\sqrt{2}$   
 (D)  $8 + 9\sqrt{2}$                       (E) 16



8. The solution to the equation  $\sqrt{x^2 + 1} = x + 2$  is

(A)  $x = \frac{22}{7}$                       (B)  $x = -\frac{3}{4}$                       (C)  $x = -\frac{3}{2}$   
 (D)  $x = 3$                       (E) no number  $x$  satisfies the equation

9. A large tray in the bakery's display case has an equal number of three types of croissants: plain, chocolate and cheese. Norm rushes into the bakery and buys two croissants at random without looking. The probability that Norm does not have a chocolate croissant is closest to

(A)  $\frac{1}{3}$                       (B)  $\frac{4}{9}$                       (C)  $\frac{1}{2}$                       (D)  $\frac{2}{3}$                       (E)  $\frac{1}{27}$

10. Which of these expressions is always a multiple of 3, whenever  $n$  is a whole number?

(A)  $n^3$                       (B)  $n^3 + 2n$                       (C)  $3n^3 + 1$                       (D)  $n^3 + 3n^2$                       (E)  $n^2 + 2$

**Questions 11 to 20, 4 marks each**

11. The value of  $2^{2016} - 2^{2015}$  is

(A) 2                      (B)  $2^{\frac{2016}{2015}}$                       (C)  $2^{2015}$                       (D)  $-2^{2016}$                       (E) 0

12. Oaklands and Brighton are two busy train stations on the same train line. On one particular day:

- One-fifth of the trains do not stop at Oaklands.
- 45 trains do not stop at Brighton.
- 60 trains stop at both Brighton and Oaklands.
- 60 trains stop at only Brighton or Oaklands (not both).


How many trains do not stop at either of these stations on that day?

- (A) 60                      (B) 20                      (C) 45                      (D) 5                      (E) 40

13. Consider the region bounded by the parabola  $y = 6 - x^2$  and the  $x$ -axis.


How many points with integer coordinates lie within that region, but not on the boundary?

- (A) 11                      (B) 12                      (C) 14  
(D) 15                      (E) 17



14. A rectangular sheet of paper  $PQRS$  has width  $PQ$  twice the height  $QR$ . The paper is folded along a line  $PX$  such that  $Q$  lies on top of  $Q'$ , a point on  $RS$ . Angle  $SPX$  is

- (A)  $72^\circ$                       (B)  $45^\circ$                       (C)  $60^\circ$   
(D)  $67.5^\circ$                       (E)  $75^\circ$



15. Ten students sit a test consisting of 20 questions. Two students get 8 questions correct and one student gets 9 questions correct. The remaining seven students all get at least 10 questions correct and the average number of questions answered correctly by these seven students is an integer. If the average number of questions answered correctly by all ten students is also an integer, then that integer is

- (A) 10                      (B) 11                      (C) 12                      (D) 13                      (E) 14





For questions 26 to 30, shade the answer as an integer from 0 to 999 in the space provided on the answer sheet.


Question 26 is 6 marks, question 27 is 7 marks, question 28 is 8 marks, question 29 is 9 marks and question 30 is 10 marks.

26. A high school marching band can be arranged in a rectangular formation with exactly three boys in each row and exactly five girls in each column. There are several sizes of marching band for which this is possible. What is the sum of all such possible sizes?

27. Let  $a, b, c, m,$  and  $n$  be integers such that  $m < n$  and define the quadratic function  $f(x) = ax^2 + bx + c$  where  $x$  is real. Then  $f(x)$  has a graph that contains the points  $(m, 0)$  and  $(n, 2016^2)$ . How many values of  $n - m$  are possible?

28. If  $a$  and  $b$  are whole numbers from 1 to 100, how many pairs of numbers  $(a, b)$  are there which satisfy  $a^{\sqrt{b}} = \sqrt{a^b}$ ?

29. Around a circle, I place 64 equally spaced points, so that there are  $64 \times 63 \div 2 = 2016$  possible chords between these points. I draw some of these chords, but each chord cannot cut across more than one other chord. What is the maximum number of chords I can draw?



30. A function  $f$  defined on the set of positive integers has the properties that, for any positive integer  $n$ ,  $f(f(n)) = 2n$  and  $f(4n + 1) = 4n + 3$ . What are the last three digits of  $f(2016)$ ?